

Complete light control

VELUX offers many light control options for new or previously installed skylights. Choose between these blind options: Blackout blinds, room darkening double pleated blinds, light filtering blinds, light filtering single pleated blinds, and venetian blinds.

VELUX blinds:

- Are custom designed for VELUX skylights
- Require no wiring
- Available in manual or solar powered (remote included)
- Take a few minutes to install with our unique Pick&Click!™ installation system
- Can be ordered factory installed (In-stock blinds only)
- Are available in 80 color and material options
- Can be ordered for prior model skylights when using a ZZZ 232 blind adaptor kit (see accessory section)



Choose a blind type



Room darkening double pleated blinds have a honeycomb structure with a blackout cloth.

- Energy efficient
- Easy installation
- Solar powered (remote included) or manual



Light filtering single pleated blinds offer colorful light effect by softening incoming light.

- Light filtering single pleat layer
- Solar powered (remote included) or manual



Blackout blinds provide room darkening when needed. Perfect for afternoon siestas and light summer nights.

- Blackout 24/7
- Solar powered (remote included) or manual



Light filtering blinds let soft light in and offer privacy.


- Basic privacy
- Solar powered (remote included) or manual



Venetian blinds are best for adjusting the amount and direction of sunlight.

- Control amount and direction of incoming light and shadows
- Manual only

In-stock blinds





Color code

Room darkening - double pleated blinds







Green



Charcoal

Room darkening Blackout cloth with honeycomb structure.

White



Beige

Energy efficient Aluminum coating inside improves the insulation effect.



Grey



Light filtering - single pleated blinds



White









1264 1261 Classic sand Cappuccino Lovely latte Misty brown



Liaht dimmina Softens incoming light.



Sleek design Neat pleats.



Venetian blinds (Manual only)



7001 White



Color code

Privacy and light control Simply tilt the slats in any

direction to adjust the angle and amount of incoming light.



Moisture resistant and easy to clean

The low-maintenance. moisture-resistant VELUX Venetian blind is perfect for bathrooms and kitchens.

Special order blinds

New Room darkening - double pleated blinds














Peach


New Light filtering - single pleated blinds

Solar powered or manual



Blackout blinds-flat

Solar powered or manual



Special order blinds


Blackout blinds-flat (cont.)

Solar powered or manual



Light filtering blinds-flat

Solar powered or manual



Briaht red

4159

Venetian blinds


1952



4160

Constructivists

pattern



Note: Special order blinds ship separately from your skylight. Please allow 2 weeks for delivery.

Accessories



6-ft. - 10-ft. rod for operation of manual skylights (ZCT 300) Models VS, VCM



6-ft. - 10-ft. motorized rod for manual skylights (ZMT 300) Models VS, VCM



3-ft. - 6-ft. 7-in. telescopic 7 hook rod for new manual blinds (ZXT 200) Models FS, FSR, FCM, QPF

3-ft. extension for ZCT 300, ZMT 300 and ZXT 200 (ZCT 100) Models FS, FSR, VS, FCM, VCM, QPF



Sunscreening accessory tray for any fixed curb mounted skylights (ZZZ 199)

The sunscreening accessory tray combined with the revolutionary Pick&Click!™ system makes blind installation quick and easy for VELUX fixed curb mounted skylights. Even after the installation is complete. It has everything built-in.

Accessories



VS crank handle (ZZZ 201) VCM crank handle (ZZZ 212)

A manual crank handle used to operate deck mounted venting skylights with a chain operator. Skylights must have been installed within reach and manufactured since 2010.



VS replacement hook (ZZZ 202) VCM replacement hook (ZZZ 211) Available for manual venting skylights.



Extension for chain operator (ZZZ 208) Extension for manual crank handle or for the manual angle adapter to make skylights easier to operate.



Angle adapter for chain operator (ZZZ 203) Extension for manual crank handle or for the manual angle adapter to make skylights easier to operate with a manual pole.



Sun screen accessory adapter kit (ZZZ 232) Enables prior model skylights to be fitted with any of our current model blinds. Available as a special order.

For models manufactured prior to January 1, 2010.



VELUX Skylight Planner See how skylights and blinds can transform any room in any home. Available on iPhone, iPad, iPod and Android smartphones.

Choosing the right blind

Find the skylights identification tag (located on the skylight frame) to determine the skylight model, size, and production code of your skylight.

Skylights manufactured prior to 2010 will require a ZZZ 232 accessory adaptor kit.



Skylights	FS/FSR/ FCM	VS/ VCM	VSE/ VCE	VSS/ VCS	QPF	GPU/ GXU/ GGU
Solar powered room darkening double pleated blinds						
Solar powered light filtering single pleated blinds	•		•	•	•	
Solar powered blackout blinds						
Solar powered light filtering blinds	•	•	•	•	•	
Manual room darkening double pleated blinds						
Manual light filtering single pleated blinds	•				•	•
Manual blackout blinds						
Manual light filtering blinds	•				•	
Manual venetian blinds		(VS only)				
Notes:						

- Removal of the insect screen on VS skylights, is required to operate or adjust the venetian blind.
- Blinds not available for FS size C12.
- Solar blinds not available for FS A06 size.
- Blinds not available for FCM sizes 1430, 1446, 2270.
- FCM skylights need sunscreening accessory tray (ZZZ 199) for blind installation.

To order

Our dealer locator for a store near you at: www.veluxusa.com

Order online at:

velux.skylightblindshop.com

Customer service: (800) 888-3589

^{*}For more information visit: veluxusa.com/taxcredits

VELUX America Inc. 450 Old Brickyard Road PO Box 5001 Greenwood, SC 29648-5001 Tel 1-800-888-3589 Fax 1-864-943-2631 www.veluxusa.com

Bringing light to life.



